

# **ERRATA**

**Maternal and Newborn Information**

**2003**



*In the Contents under Appendices: Appendix 9. should read:*

9. Fetal and infant mortality	76
-------------------------------	----

*The following list of tables replaces the original version:*

## **LIST OF TABLES**

1.1: Number of mothers and live births in 2003, by data source	11
2.1: Number of mothers, by ethnicity of the mother and year of birth, 2000–2003	14
2.2: Age distribution of mothers, by ethnicity of the mother, 2003	14
2.3: Distribution of mother's place of residence, by DHB region, 2003	15
2.4: Number of mothers, by DHB region of mother's place of residence and ethnicity, 2003	16
2.5: Number of mothers, by DHB region of the mother's place of residence and DHB facility of birth, 2003	18
2.6: Number of mothers, by NZDep decile of mother's place of residence and rural/urban status, 2003	18
2.7: Antenatal hospital admissions (excluding transfers) and average length of stay for mothers, by Diagnosis-Related Group (DRGs O62Z, O64Z, O65A and O65B only) and ethnicity, 2003	21
2.8: Antenatal hospital admissions (excluding transfers) and average length of stay for mothers, by principal diagnosis (DRGs O65A and O65B only), 2003	22
2.9: Claims made for private specialist obstetrician consultations, by DHB region of mother's place of residence and consultation type, 2003	23
2.10: Number of mothers having ultrasound examinations, by ethnicity of the mother and number of ultrasound examination, 2003	24
2.11: Number of mothers having ultrasound examinations, by age group of the mother and number of ultrasound examination, 2003	25
2.12: Number of mothers having ultrasound examinations, by DHB region of the mother's place of residence and number of ultrasound examination, 2003	25
2.13: Number of mothers having ultrasound examinations, by rural/urban status of the mother's place of residence and number of ultrasound examination, 2003	26
2.14: Maternal deaths (WHO definition), 1993–2003	26
3.1: Number of mothers, by type of birth, 2003	28
3.2: Number of mothers, by type of birth and age group, 2003	29
3.3: Number of mothers, by type of birth and ethnicity, 2003	30
3.4: Number of mothers, by type of birth and DHB region of mother's place of residence, 2003	31
3.5: Number of mothers, by type of birth and parity, 2003	32
3.6: Number of mothers, by birth-related procedures and events, by DHB region of mother's place of residence, 2003	34
3.7: Rate of birth-related procedures and events, by DHB region of mother's place of residence, 2003	35
3.8: Use of inductions, by age group and ethnicity of the mother, 2003	36
3.9: Use of epidurals, by age group and ethnicity of the mother, 2003	36
4.1: Number of babies delivered in hospital, by birth status, 2003	37

4.2:	Number of live babies born, by sex and ethnicity, 2003	38
4.3:	Average birthweight of babies born in hospital, by sex and ethnicity, 2003	40
4.4:	Percentage of live babies born, by gestational age at birth and ethnicity, 2003	40
4.5:	Percentage of live babies born, by birthweight at birth and ethnicity, 2003	40
4.6:	Percentage of full-term babies (37+ weeks gestation) with a low birthweight (<2500 g), by year and mother's ethnicity, 2000–2003	42
4.7:	Number of full-term babies (37+ weeks gestation) with a low birthweight (<2500 g), by DHB region of mother's place of residence, 2003	42
4.8:	Number and rate of in-hospital live births, still births and neonatal deaths, by ethnicity, 2003	44
4.9:	Number and rate of in-hospital live births, stillbirths and neonatal deaths, by DHB region of mother's place of residence, 2003	44
4.10:	Stillbirths, by mother's age group and NZDep decile of mother's place of residence, 2003	45
4.11:	Number and rate of in-hospital neonatal deaths, by birthweight, 2003	46
4.12:	Number and rate of in-hospital neonatal deaths, by gestational age, 2003	46
5.1:	Postnatal readmissions for mothers with problems relating to pregnancy, by principal diagnosis (DRGs O04Z and O61Z only), 2003	49
5.2:	Number and rate of readmissions to hospital for mothers and babies born in hospital, by DHB region of mother's place of residence, 2003	50
5.3:	Postnatal midwifery home visits made, 2003	51
5.4:	Claims for private specialist paediatrician consultation, by DHB region of mother's place of residence and consultation type, 2003	51
5.5:	Number and percentage of babies breastfed at two weeks of age, by breastfeeding status, 2003	52
5.6:	Number and percentage of babies breastfed at two weeks of age, by age group of the mother and breastfeeding status, 2003	53
5.7:	Number and percentage of babies breastfed at two weeks of age, by ethnicity of the mother and breastfeeding status, 2003	53
5.8:	Number and percentage of babies breastfed at two weeks of age, by DHB region of mother's place of residence and breastfeeding status, 2003	55
6.1:	Total live and stillbirths delivered in hospital, by facility type, 2003	56
6.2:	Antenatal hospital admissions and average length of stay, by facility type, 2003	57
6.3:	Type of hospital birth (rate per 100 deliveries), by facility type, 2003	57
6.4:	Number and rate of inductions, epidurals and episiotomies, by facility type, 2003	58
6.5:	Number and percentage of mothers and average length of stay, by patient clinical complexity level (PCCL) and facility type, 2003	58
6.6:	Numbers of live babies born, by gestational age at birth and facility type, 2003	58
7.1:	Number of LMC registrations per mother, 2003	59
7.2:	Number and percentage of LMC registrations, by LMC type at first registration and at birth, 2003	60
7.3:	Number and percentage of LMC at first registration, by LMC type and mother's age group, 2003	60
7.4:	Number and percentage of LMC at first registration, by LMC type and ethnicity of the mother, 2003	61
7.5:	Number and percentage of LMC at first registration, by LMC type and DHB of mother's place of residence, 2003	61

7.6:	Number and percentage of LMC at first registration, by LMC type and mother's parity, 2003	62
7.7:	Number and percentage of outcome of birth, by LMC at first registration, 2003	62
7.8:	Number and percentage of types of birth, by LMC at first registration, 2003	63
7.9:	Number and rate of interventions, by LMC at first registration, 2003	63
7.10:	Number and percentage of LMC at first registration, by length of stay following birth, 2003	64

*The following list of figures replaces the original version:*

## **LIST OF FIGURES**

2.1:	Percentage of live birth registrations by age of mother, 1978–2003	13
2.2:	Birth rates per 1000 women of reproductive age, by ethnicity and age group of the mother, 2003	15
2.3:	Hospital birth rates (standardised by age and ethnicity) with 99 percent confidence interval, per 1000 women of reproductive age, by DHB of mother's place of residence, 2003	17
2.4:	Hospital birth rates per 1000 women of reproductive age, by NZDep quintile of the mother's place of residence and rural/urban status, 2003	19
2.5:	Birth rates per 1000 women of reproductive age, by NZDep quintile of the mother's place of residence and ethnicity, 2003	19
2.6:	Rate of hospital miscarriages per 100 mothers, by ethnicity and age group of the mother, 2003	20
3.1:	Percentage of mothers, by type of birth and age group, 2003	29
3.2:	Percentage of mothers, by type of birth and ethnicity, 2003	30
3.3:	Percentage of mothers, by type of birth and year, 1999–2003	33
3.4:	Hospital caesarean section rates (standardised by age and ethnicity) and 99 percent confidence interval, by DHB region of mother's place of residence, 2003	33
4.1:	Percentage of total live births, by ethnicity, 1999–2003	38
4.2:	Average birthweight of female babies by ethnicity, 1999–2003	39
4.3:	Average birthweight of male babies by ethnicity, 1999–2003	39
4.4:	Percentage of babies, by early and late gestational age at birth (excluding babies born between 37 and 41 weeks gestation), 1999–2003	41
4.5:	Percentage of live babies, by low birthweight, high birthweight, preterm and full-term low birthweight, 2000–2003	41
4.6:	Rate of in-hospital stillbirths and neonatal deaths, by ethnicity, 2003	43
4.7:	Rate of in-hospital neonatal deaths, by gestational age (under 37 weeks and over 37 weeks) and ethnicity, 2000–2003	45
5.1:	Rate of hospital readmission of mothers, with 99 percent confidence intervals, by DHB of mother's place of residence, 2003	47
5.2:	Rate of hospital readmission of babies, with 99 percent confidence intervals, by DHB of mother's place of residence, 2003	48
5.3:	Percentage of babies breastfed at two weeks of age, by age group of the mother and breastfeeding status, 2003	54
5.4:	Percentage of babies breastfed at two weeks of age, by ethnicity of the mother and breastfeeding status, 2003	54
6.1:	Usage of primary, secondary and tertiary facilities, by ethnicity, 2003	56

*p.8 Introduction, 1.1 BACKGROUND, the second sentence should read:*

The World Health Organization (WHO) states that “Care for pregnant women is often the entry point for health services for the family and community” (WHO 2005).

*p.8 Introduction, 1.2 TERMS AND TERMINOLOGIES, the last paragraph should read:*

The International Statistical Classification of Disease and Related Health Problems, 10th Revision, Australian Modification (ICD-10-AM; 2nd Edition) and Diagnosis-Related Grouping (DRG) 4.2 classification systems were used.

*p.15 Mother and Pregnancy: Figure 2.8 should be Figure 2.2*

*P.23 Asterisk legend for Table 2.9 should read:*

\*Rate per 100 deliveries in each DHB.

*P.26 Table 2.14, Add Data source: Mortality.*

*P.28 Table 3.1, Add Data source: NMDS.*

*P.43 Fig 4.6, Early neonatal births column should read: Early neonatal deaths.  
Late neonatal births column should read: Late neonatal deaths.*

*P.45 Figure 4.7, Y-axis definition should read: Rate per 1000 live births.*

*P.47 5.1 POSTNATAL HOSPITAL READMISSIONS OF THE MOTHER AND BABY: the beginning of the second paragraph should read:*

In 2003, 8.3 percent of mothers and 8.2 percent of babies required a postnatal readmission. As presented in Table 5.1, 2847 mothers were readmitted to hospital for postpartum and post-abortion diagnoses (DRGs O04Z and O61Z).

*P.48 The legend for Figure 5.2 should read:*

*Figure 5.2: Rate of hospital readmission of babies, with 99 percent confidence intervals, by DHB of baby’s place of residence, 2003*

*P.54 Figure 5.3, Y-axis definition should read: Percentage of babies.*

*P.58 The following table replaces Table 6.5:*

*Table 6.5: Number and percentage of mothers and average length of stay, by patient clinical complexity level (PCCL) and facility type, 2003*

Facility type	Total number	Percentage					Average length of stay (days)				
		PCCL 0	PCCL 1	PCCL 2	PCCL 3	PCCL 4 (most severe)	PCCL 0	PCCL 1	PCCL 2	PCCL 3	PCCL 4 (most severe)
		Primary	8575	96.6	0.0	2.6	0.8	0.1	2.5	0.0	4.4
Secondary	22,048	91.6	0.0	5.7	2.3	0.4	2.6	3.7	4.3	4.7	8.8
Tertiary	23,958	85.6	0.0	9.3	4.1	0.9	2.3	4.0	4.6	5.8	9.9
Total	54,581	89.7	0.0	6.8	2.9	0.6	2.4	3.8	4.5	5.4	9.6

Data source: NMDS

*P.65 Superscript for Name and Description of variable should read:*

<sup>1</sup> *Equivalisation: methods used to control for household composition.*

*P.70 Appendix 5. This list replaces the original:*

The following is a list of members of the Maternity Policy Advisory Group (MPAG) and the organisations they represent.

- Norma Campbell                      Midwife
- Sharon Cole                            Consumer representative
- Emma Farmer                         Midwife
- Karen Guilliland                     Midwife
- Alastair Haslam                      Obstetrician
- Stephanie Palmer                    Māori Health researcher
- Joanne Rama-Manga                Midwife
- Don Simmers                         General Practitioner
- Pat Tuohy                              Paediatrician and Chief Advisor Child & Youth Health
- Phil Weston                          Paediatrician

*P.76 Appendix 9 Heading should read: Fetal and infant mortality*

*P.99 Appendix 11. Heading for the data supplied by the Royal New Zealand Plunket Society should read:*

**Women fully or exclusively breastfeeding at 6 weeks, 3 months and 4–6 months, by ethnicity (percentage), 1997–2003**

*P.99 Appendix 11. For each category, read:*

**Exclusively or fully breastfed at 5-6 weeks**

**Exclusively or fully breastfed at 3 months**

**Exclusively or fully breastfed at 4-6 months**

*P.102 Appendix 12. Add Data source : MNIS*

*P.103-108 Glossary: The following terms replace the original copy:*

**Maternal and Newborn Information System (MNIS)**

A collection of perinatal information amalgamating data from LMC payments claims to HealthPAC with data collected at hospital discharge and recorded in NMDS.

**Postnatal**

All pregnancy-related events following birth.

**Post-partum haemorrhage, primary**

Clinical definition: blood loss of greater than 500 mL from the genital tract within 24 hours of delivery.

*P.110 References:*

SALMOND C, CRAMPTON P. 2002A. *NZDep2001 Index of Deprivation*. Wellington: Wellington School of Medicine and Health Sciences.

SALMOND C, CRAMPTON P. 2002B. *NZDep2001 Index of Deprivation: User Manual*. Wellington: Wellington School of Medicine and Health Sciences.

WORLD HEALTH ORGANIZATION. *Maternal and Newborn Health in the WHO European Region: The Challenges and the Way Forward*. Fact sheet EURO/03/05, Copenhagen 6 April, 2005.